EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S645	230235	(established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S646	347109	(topolog\$3 configuration \$1 link\$1state (link adj state\$1)) near3 (information\$1 configuration data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S647	2857	(((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S648	2557	((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S649	267817	(topolog\$3 configuration \$1 link\$1state (link adj state\$1)) near2 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S650	16711	(topolog\$3) near2 (information\$1 configuration\$1 data discover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S651	2474	((topolog\$3 configuration\$1 link \$1 state (link adj state \$1)) near2 (information \$1 configuration\$1 data)) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S652	18	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S653	1646	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S654	2388	select\$3 with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S655	2440	(choos\$3 select\$3) with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
3656	2055	((select\$3 choos\$3) near3 (node\$1 ne element\$1 route\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1) configuration\$1)))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S657	95	(topolog\$3 same (spanning adj2 tree\$1)) and ((collected gathered determined analyzed tested) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S 658	391	(next adj2 (node\$1 ne element\$1 router\$1 switch\$2)) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S659	2	"7024483".pn. and (next near2 node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S660	43	S653 and S654	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S661	145	S647 and S650	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S662	2055	((select\$3 choos\$3) near3 (node\$1 ne element\$1 route\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PCPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S663	5953	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collect \$3 gather\$3 determin \$3 analyz\$3 test\$3) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S664	4106	quer\$4 with ((establish \$3 exist\$3 identif\$4) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S665	1646	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S666	115	(S664 S665) and S663	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2010/11/18 08:58

S667	3081	((select\$3 choos\$3) with (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with (network \$3 topolog\$3) near2 (information\$1) configuration\$1))	US-PGPUB; US-PAT; EPO; JPO; DEFIWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S668	4110	quer\$4 with ((establish \$3 exist\$3 identif\$5) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S669	59	S667 and S668	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S670	3431	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near4 (information \$1 configuration\$1 data)) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S671	164	S667 and S670	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S672	1132	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S673	7295	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S674	5274	370/342. ∞ls .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S675	1133	370/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S676	483	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S677	582	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S678	4925	709/220.ccls.	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S679	2233	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S680	1536	709/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S681	12318	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S682	5054	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S683	3840	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S684	5661	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S685	926	370/217.∞ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S686	638	370/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S687	431	370/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S688	5054	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S689	788	370/225.∝ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S690	3421	370/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S691	1030	370/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S692	4324	370/235.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S693	1278	370/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S694	151	370/236.2.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2010/11/18 08:58

S695	224	370/241.1.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S696	1660	370/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S697	675	370/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S698	392	370/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S699	55517	\$672 \$673 \$674 \$675 \$676 \$677 \$678 \$679 \$680 \$681 \$682 \$683 \$684 \$685 \$686 \$687 \$688 \$689 \$690 \$691 \$692 \$693 \$694 \$695 \$696 \$697 \$698	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S700	9508	((establish\$4 exist\$4 confirm\$4 identif\$6 provid\$3 sett\$2 validat \$3) near3 (path\$1 link \$1 connection\$1 rout \$4)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S701	435346	((topolog\$3 configuration \$1 link\$1state (link\$1 adj state\$1)) near4 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S702	2649	S700 and S701	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S703	335	\$699 and \$702	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S704	2055	[((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1) configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DEFIWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S705	9414	((select\$3 choos\$3) near3 (node\$1 ne lelement\$1 router\$1 switch\$3)) and ((collect \$3 gather\$3 determin \$3 analyz\$3 test\$3) with ((network\$3 topolog\$3) near4 (information\$1) configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DEFIWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S706	5710	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data)) same ((establish \$3 exist\$3 identif\$6) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S707	1057	\$699 and \$706	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S708	161	S707 and S705	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S709	461	S699 and S704	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S710	17	("6157955" "6205488" "6332163" "6539483" "6606660" "6631416" "6671724" "6678827" "6701358" "6732176" "7573172" "7028183" "7136374"), FN. OR	US-PGPUB; USPAT; USOCR	MOR	OFF	2010/11/18 08:58
5711	39	("7373660") URFN. ("5276789" "5671355" "568496" "568496" "5715432" "5781962" "578431" "5715432" "578431" "5793958" "5793958" "5809265" "5809265" "5809262" "581610" "583890" "583890" "583890" "583890" "5933601" "595012" "597412" "609466" "6018766" "6018766" "6026826" "6108309" "6653620" "6058262" "6108309" "6847572" "6643837" "6651062" "RE36444") PN. OR ("6996510") URFN.	US POPUB; USPAT; USOCR	OR	OFF	2010/11/18 08:58
S712	12	("20020042274" "20020073338" "20020141346" "20030140165" "20030172180" "5453978" "6047331" "6673241" "6765880"), FN, OR ("6992988"), URPN,	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/18 08:58
S713	4106	quer\$4 with ((establish \$3 exist\$3 identif\$4) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2010/11/18 08:58

S714	397	S699 and S713	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S715	8150	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S716	3983	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with quer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S717	81	S715 and S716	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S718	25032	((path\$1 link\$1 connection\$1) with topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S719	205	S718 and S716	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S720	5383	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with (quer\$4 ask \$3 inquir\$4 enquire\$4 reqest\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S721	102	S715 and S720	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S722	244	S718 and S720	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S723	31	("20020042693" "20030204650" "20030204786" "20030204786" "5666486" "6108699" "6167490" "619240" "6477172" "6567808" "6718394" "6748429" "6801937" "6847993").PN. OR ("7024483").URPN.	US-POPUB; USPAT; USOCR	OR	OFF	2010/11/18 08:58
S724	46	("5049873" "506352" "5123098" "5163690" "5185860" "5276789" "5414812" "54436328" "54436328" "5463628" "5463628" "5561769" "5561769" "5561769" "5565081" "5565081" "59506605" "5565081" "59506605" "55848243" "5710603" "574669" "5848243" "5910803" "6018344" "61163636" "6208977" "6255240" "6256295" "63761919" "6377987" "6396810" "6411946" "6456306" "6574663" "6674663" "6674663" "6674663" "6675243" "6674653" "6675243" "6675259") UHFN.	US-PCPUB; USPAT; USOCR	ÖR	OFF	2010/11/18 08:58
S725	7058	(receiv\$3 near2 request) and (quer\$5 with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration)) configuration)	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S726	11167	(receiv\$3 near2 request) and ((quer\$4 ask\$3 inquir\$4 enquire \$4 reqest\$4) with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DEFIWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S727	3426	((rout\$3 switch\$4) near3 (information configuration)) and \$726	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S728	326	S699 and S727	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S729	117117	(compar\$5 determin\$6 match\$3) with (configuration\$1 information\$1) with (identifier\$1 id\$1 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S730	24738	(quer\$4 ask\$3 inquir\$4 enquire\$4 reqest\$4) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S731	522	S729 same S730	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S732	4467	S729 and S730	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S733	519	\$699 and \$732	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S734	974	S731 S733	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S735	6	("5185860" "5276789" "5905711" "5926463" "5926463" "6327677" "6684237").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/18 08:58
S736	21	["20020091857" "20020196802" "4884559" "5361256" "5675741" "5928665" "5917820" "5928665" "6101180" "6331983" "6074303" "611312" "6502740" "6568330" "6667929" "6785240" "6839348" "7170885" "7181526").FN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/18 08:58
S 737	23133	(request\$4 with (connection\$1 path\$1 link\$1)) with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S738	8150	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S739	292	S737 and S738	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S740	36	(US-20050050225-\$ or US-20030033427-\$ or US-20030033427-\$ or US-200400233859-\$ or US-2005011366-\$ or US-20030097468-\$ or US-20030037468-\$ or US-200303820-\$ or US-200303820-\$ or US-20030236870-\$), did. or (US-703559-\$ or US-206038-\$ or US-206058-\$	US-PGPUB; USPAT	OR	OFF	2010/11/18 08:58

		7263552-\$ or US 5606669-\$ or US 6339587-\$ or US 6339587-\$ or US 6534502-\$ or US 5841048-\$ or US 7050404-\$ or US 7024483-\$ or US 6539427-\$ or US 6137782-\$ or US 6339427-\$ or US 6432520-\$ or US 6425206-\$ or US 5408618-\$ or US				
S741	2	((HO-KEUNG) near2 (LEE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/18 08:58
S742	12963	lucent.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/18 08:58
S743	23810	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S744	12964	S741 S742	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S745	318	S743 and S744	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
5746	242061	(management\$1 manag \$4 monitor\$3 administrat\$6)) ((nems nms ems) same (management\$1 manag \$4 monitor\$3 administrat\$6) same (network\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S747	95130	((signal\$1 alert\$1 alarm \$1 message\$1) with ((active\$1 establish\$3 confirm\$3 identified provid\$3 exist\$3) near4 (path\$1 link\$1 connection\$1 route \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S748	25396	(quer\$4 ask\$3 inquir\$4 enquire\$4 reqest\$4) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog \$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1))	US-PCIPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S749	3578	S747 and S748	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S750	1948	S746 and S749	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S751	751340	(determin\$3 formulat\$3 map\$3 graph\$4 compos \$4 chart\$3 model\$3 layout\$1 outlin\$4) with (path\$1 link\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S752	1747	S750 and S751	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S753	210552	(rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog \$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1)) same \$751	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S754	1483	S752 and S753	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

S755	109996	graph\$4 compos\$4 chart\$3 model\$3 layout \$1 outlin\$4) with (path	JPO;	CR	OFF	2010/11/18 08:58
S756	576	S754 and S755	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58
S757	1	"779442".ap. and medi \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 08:58

11/19/2010 7:16:55 AM

C:\ Documents and Settings\ rpasia\ My Documents\ EAST\ Workspaces\ 10779442amend02.wsp